

ASUS TUF Gaming 750W Gold güç kaynağı ünitesi 20+4 pin ATX ATX Siyah

Marka : ASUS

Ürün kodu: 90YE00S3-B0NA00

Ürün Adı : TUF Gaming 750W Gold




ASUS TUF Gaming 750W Gold. Toplam güç: 750 W, AC girdi voltajı: 100 - 240 V, Birleşik güç (+3.3V): 130 W. Analevha güç bağlantısı: 20+4 pin ATX, Anakart güç kablosu uzunluğu: 61 cm, SATA güç kablosu uzunluğu: 120,400 mm. Amaç: PC, Güç kaynağı ünitesi (PSU) form faktörü: ATX, 80 PLUS sertifikasyonu: 80 PLUS Gold. Ürün rengi: Siyah, Soğutma türü: Aktif, Fan çapı: 13,5 cm. Pakete dahil kablolar: AC, CPU, PCIe, Peripheral (Molex), SATA

Enerji yönetimi		Bağlantı	
Toplam güç *	750 W	PCI Express bağlayıcısı	✓
AC girdi voltajı *	100 - 240 V	Kablolama türü	Tamamen Modüler
Birleşik güç (+3.3V)	130 W	Performans	
Birleşik güç (+12V)	744 W	80 PLUS sertifikasyonu *	80 PLUS Gold
Birleşik güç (+5V)	130 W	Amaç *	PC
Birleşik güç (-12V)	9,6 W	Güç kaynağı ünitesi (PSU) form faktörü *	ATX
Birleşik güç (+5Vsb)	15 W	ATX versiyonu	3.1
Maksimum çıktı akımı (3.3V)	25 A	Tasarım	
Maksimum çıktı akımı (+12V)	62 A	Ürün rengi	Siyah
Maksimum çıktı akımı (+5V)	25 A	Soğutma türü	Aktif
Maksimum çıktı akımı (-12V)	0,8 A	Fan çapı	13,5 cm
Maksimum çıktı akımı (+5Vsb)	3 A	Fan sayısı	1 fan(lar)
Verimlilik	92%	Aydınlatma	✗
güç koruma özellikleri	Aşırı güç, Aşırı voltaj, Aşırı şarj, Aşırı ısınma, Kısa devre, Düşük voltaj	Entegre açma/kapama düğmesi	✓
Bağlantı		Paket içeriği	
Analevha güç bağlantısı *	20+4 pin ATX	Pakete dahil kablolar	AC, CPU, PCIe, Peripheral (Molex), SATA
Anakart güç kablosu uzunluğu	61 cm	Kablo bağ(lar)ı dahil	✓
SATA güç bağlantısı sayısı	5	Sertifikalar	
SATA güç kablosu uzunluğu	120,400 mm	Uyumluluk sertifikaları	RoHS
Çevresel (Molex) güç bağlantıları (4-iğne) *	4	Ağırlık & boyutlar	
Periferik (Molex) güç kablosu uzunluğu	150,400 mm	Genişlik	150 mm
PCI Express güç bağlantısı (8-iğne)	3	Derinlik	150 mm
PCI Express güç konektörleri (16 pim)	1	Yükseklik	86 mm
CPU güç bağlantısı (4+4 iğne)	✓	Ağırlık	2,38 kg
CPU güç kablosu uzunluğu	65 cm	Ambalajlama bilgisi	
ATX güç bağlantısı (20+4 iğne)	✓	Ambalaj genişliği	310 mm
		Ambalaj derinliği	200 mm
		Ambalaj yüksekliği	108 mm
		Paket ağırlığı	3,07 kg
		Ambalaj tipi	Kutu

Teknik detaylar

Sürdürülebilirlik uyumluluğu





4711081786733



0195553786737



195553786737

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.